

Release Guide

ERDAS Extensions 2020 for ArcGIS 10.7.1

Version 16.6.0

March 2020



Contents

About This Release	3
New Platforms	3
ArcGIS Desktop 10.7.1	3
Windows 10	3
Licensing	3
New Technology	4
3Dconnexion SpaceMouse Pro	4
System Requirements	5
ERDAS Extensions	5
System Requirements Notes	6
Issues Resolved	7
Stereo Analyst for ArcGIS	7
Terrain Editor for ArcGIS	7
Contact Us	9
About Hexagon	9
Copyright	10



About This Release

This document describes the enhancements for 2020 (v16.6.0). Although the information in this document is current as of the product release, see the Hexagon Geospatial Support website for the most current version.

This document is only an overview and does not provide all the details about the product's capabilities. See the online help and other documents provided with ERDAS Extensions for more information.

New Platforms

ArcGIS Desktop 10.7.1

ERDAS Extensions 2020 supports the following ESRI desktop products:

- ArcGIS 10.7, and
- ArcGIS 10.7.1

Windows 10

ERDAS Extensions 2010 adds Microsoft Windows 10 Professional as supported platforms

Licensing

It is strongly recommended that customers upgrade to the newest version of Hexagon Geospatial Licensing 2020. If in doubt, refer to Windows' Add or Remove Programs utility to determine the currently installed version.

The appropriate download can be found on the Downloads section of the Hexagon Geospatial web site:

https://download.hexagongeospatial.com/search?lang=en&product=b3b4786d3d4742ae8d1e7aeee50dae69



New Technology

3D Stream in Stereo Analyst for ArcGIS

The 3D Stream option is added in the list of the Construction Tools when digitizing line or polygon features. Once selected, the 3D Stream digitizing will be available in the Stereo window only. The digitized line or polygon feature will be shown in the ArcMap window once the sketch finishes. 3D Stream provides a much smoother digitizing experience in the Stereo window, comparing to digitizing in stream mode from Stereo window or ArcMap window and updating/refreshing both windows simultaneously. The stream tolerance can be set by selecting Options from the **Editor** dropdown list.

3Dconnexion SpaceMouse Pro

Support for the 3Dconnexion SpaceMouse Pro as a digitizing device is added for providing you with an additional input device choice.





System Requirements

ERDAS Extensions

Computer/ Processor	64-bit: Intel 64 (EM64T), AMD 64, or equivalent (Multi-core processors are strongly recommended)		
Memory (RAM)	16 GB or more strongly recommended		
Disk Space	 6 GB for software 1 GB for example data Data storage requirements vary by mapping project¹ 		
Operating Systems ^{2, 3}	Windows 10 Pro (64-bit)		
Software	Either one of the following:		
Recommended Graphics Cards for Stereo Display	NVIDIA® Quadro® K5200, K5000, K4200, K4000, K2200, K600, K420 ³		
Recommended Stereo Display Monitors	 120 Hz (or above) LCD Monitors with NVIDIA 3D Vision™ Kit, or 3D PluraView system from Schneider Digital ³ 		
	All software installations require:		
	One Windows-compatible mouse with scroll wheel or equivalent input device		
	 Printing requires Windows-supported hardcopy devices ⁴ 		
	Software security (Hexagon Geospatial Licensing 2020) requires one of the following:		
	Ethernet card, or		
	One USB port for hardware key		
	Advanced data collection requires one of the following hand controllers:		
	 TopoMouse™ or TopoMouse USB™ 		
Peripherals	Immersion 3D Mouse		
	Stealth 3D (Immersion), S3D-E type, Serial Port		
	Stealth Z, S2-Z model, USB version		
	Stealth V, S3-V type (add as a serial device)		
	3Dconnexion SpaceMouse Pro		
	3Dconnexion SpaceExplorer mouse		
	EK2000 Hand Wheels		
	EMSEN Hand Wheels		
	Z/I Mouse		



System Requirements Notes

- ¹ Disk I/O is usually the slowest task in geospatial data processing. Faster hard disks improve productivity. Reading data from one disk, writing temporary data to a second disk, and writing data to a third disk improves performance. Disk arrays improve productivity, but some RAID options slow performance. Network disk drives are subject to network limitations.
- ² Windows provides a generic OpenGL driver for all supported graphics cards. However, an OpenGL-optimized graphics card and driver are recommended for these applications.
- ³ Graphics cards and Stereo Monitors certified with previous versions of ERDAS Extensions may also be compatible, but are not certified in the current version.
- ⁴ HP-RTL drivers are recommended. Windows 64-bit print servers require 64-bit print drivers.

.



Issues Resolved

Stereo Analyst for ArcGIS

Issue ID	Summary – ERDAS Extensions	Description / How to Reproduce
EX-485	Vertical shift using NAVD 88 (CONTUS) (GEOID12B)	There is a height difference of 1.2 meters using the vertical datum NAVD 88 (CONTUS) (GEOID12B) or NAVD 88 (CONTUS) (GEOID12A).
EX-488	Do not add ESRI image server layer to Stereo tab	It is preferred that ESRI image server layer is not added to the Stereo tab.
EX-489	Computing pyramids for large ADS strips freezes in ERDAS Extensions 2018	ERDAS Extensions 2018 fails to generate RRDs on large ADS L1 files that require the companion RDE file. 2016 SP2 works fine. To reproduce: Generate a block file add any large ADS L1 image Generate pyramids during project import. Software freezes.
EX-502	ISAT project import takes hours	Using ERDAS Extensions 2018 for ArcGIS 10.6.1, the Import Photogrammetry Wizard will pause and stall on 20%.
EX-505	New icons for contrast stretch commands	To customize the contrast stretch commands, six new icons are required for Contrast Stretch By Histogram Equalize, Linear, Min Max, None, Percentage and Standard Deviations.
EX-537	Cannot load block files created with "us survey feet in "Create Block File" tool in Stereo Analyst for ArcGIS	Any block file created by "Create Block File" tool using "Indian feet", "international feet" or "us survey feet" as units cannot be imported in Stereo Analyst for ArcGIS.
EX-592	Fail to import INPHO projects of version 9.2.2	The control point block in INPHO projects of version 9.2.2 uses multiple lines to represent a single control point, which leads to the failure of importing the data.

Terrain Editor for ArcGIS

Issue ID	Summary – ERDAS Extensions	Description / How to Reproduce
EX-368	Smooth Elevations operator creates spikes along the boundary.	Smooth Elevations changes points along the boundary of the drawn polygon in a way that spikes are created. The outermost points on the boundary should be used to calculate the smoothed surface but should not be changed in Z.



EX-475	Streaming Breakline / Multipoints continues after leaving stereo with F3	This issue is particularly obvious in streaming mode, but it also happens without streaming when clicking into the 2D map outside the stereo mode. To reproduce: Activate the "Add a Breakline tool" or "Add Multiple Terrain Point Tool" Enable contour display in case of the "Add Multiple Terrain Point Tool" Start streaming mode, stream a couple of points Press F3 Move mouse to 2D window, draw an obvious shape such as a rectangle Press F3 to get back into the stereo Zoom out to observe the added points from the 2D window. The desired way these tools should work is that they do not take input from the 2D window. They should behave like the building templates which only allow capturing in stereo.
EX-476	"Add Multiple Terrain Point Tool" adds duplicate points after finishing sketch with double-click	When using F2 to finish a sketch the tool works as desired. However, when using double-click to finish the sketch, the new feature is created correctly but a new sketch is initialized with a point at the location of the last click point of the previous sketch. In the next finish sketch operation, this results in a duplicate point in the target multipoint feature. The double-click should do the same as F2. Currently it appears as if the double click is already processed as the next (single) click for the new sketch. In streaming mode, the problem is more pronounced because after finishing the last sketch with double-click, streaming continues from the current mouse location. The desired behaviour is that streaming must always be initiated by a single click.
EX-561	Autocorrelation fails to complete	Using ERDAS Extensions 2018 for ArcGIS 10.6 or 10.6.1, the autocorrelation using eATE fails to complete. To reproduce: Add a stereo pair and terrain data to the Stereo window Start Terrain Editing from the Terrain Editor toolbar Click Run Autocorrelation from the Terrain Autocorrelation toolbar. If the Run Autocorrelation icon is not enabled, increase the zoom scale from the Stereo View toolbar Click in the Stereo window and press F3 Define the area for autocorrelation.



Contact Us



https://go.hexagongeospatial.com/contact-us-today

About Hexagon

Hexagon is a global leader in sensor, software and autonomous solutions. We are putting data to work to boost efficiency, productivity, and quality across industrial, manufacturing, infrastructure, safety, and mobility applications.

Our technologies are shaping urban and production ecosystems to become increasingly connected and autonomous — ensuring a scalable, sustainable future.

Hexagon's Geospatial division creates solutions that deliver a 5D smart digital reality with insight into what was, what is, what could be, what should be, and ultimately, what will be.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 20,000 employees in 50 countries and net sales of approximately 4.3bn USD. Learn more at hexagon.com and follow us @HexagonAB.



Copyright

© 2020 Hexagon AB and/or its subsidiaries and affiliates. All rights reserved. Hexagon has registered trademarks in many countries throughout the world. Visit the Trademarks Page http://www.hexagongeospatial.com/legal/trademarks for information about the countries in which the trademarks are registered. See Product Page and Acknowledgments for more information.

Product Documentation Terms of Use

PLEASE READ THESE TERMS CAREFULLY BEFORE USING HEXAGON GEOSPATIAL'S DOCUMENTATION ("DOCUMENT"). USE OF THIS DOCUMENT INDICATES ACCEPTANCE OF THIS AGREEMENT WITHOUT MODIFICATION. IF YOU DO NOT AGREE TO THE TERMS HEREOF ("TERMS"), DO NOT USE THIS DOCUMENT.

Use Of This Document

All materials in this Document are copyrighted and any unauthorized use may violate worldwide copyright, trademark, and other laws. Subject to the terms of this Agreement, Hexagon Geospatial (a Division of Intergraph Corporation) and Intergraph's subsidiaries ("Intergraph") hereby authorize you to reproduce this Document solely for your personal, non-commercial use. In consideration of this authorization, you agree to retain all copyright and other proprietary notices contained therein. You may not modify the Materials in any way or reproduce or publicly display, perform, or distribute or otherwise use them for any public or commercial purpose, except as specifically authorized in a separate agreement with Hexagon Geospatial.

The foregoing authorization specifically excludes content or material bearing a copyright notice or attribution of rights of a third party. Except as expressly provided above, nothing contained herein shall be construed as conferring by implication, estoppel or otherwise any license or right under any copyright, patent or trademark of Hexagon Geospatial or Intergraph or any third party.

If you breach any of these Terms, your authorization to use this Document automatically terminates. Upon termination, you will immediately destroy any downloaded or printed Materials in your possession or control.

Disclaimers

ALL MATERIALS SUPPLIED HEREUNDER ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. Hexagon Geospatial does not warrant that the content of this Document will be error-free, that defects will be corrected, or that any Hexagon Geospatial Website or the services that make Materials available are free of viruses or other harmful components.

Hexagon Geospatial does not warrant the accuracy and completeness of this Document. Hexagon Geospatial may make changes to this Document at any time without notice.

Limitation Of Liability

IN NO EVENT SHALL HEXAGON GEOSPATIAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY YOU OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT OR TORT, ARISING FROM YOUR ACCESS TO, OR USE OF, THIS DOCUMENT.

Indemnification

You agree to defend, indemnify, and hold harmless Hexagon Geospatial, its officers, directors, employees, and agents from and against any and all claims, liabilities, damages, losses or expense, including reasonable attorneys' fees and costs, arising out of or in any way connected with your access to or use of this Document.

Use Of Software



Use of software described in this Document is subject to the terms of the end user license agreement that accompanies the software, if any. You may not download or install any software that is accompanied by or includes an end user license agreement unless you have read and accepted the terms of such license agreement. Any such software is the copyrighted work of Hexagon Geospatial, Intergraph or its licensors. Portions of the user interface copyright 2012- Telerik AD.

Links To Third Party Websites

This Document may provide links to third party websites for your convenience and information. Third party websites will be governed by their own terms and conditions. Hexagon Geospatial does not endorse companies or products to which it links.

Third party websites are owned and operated by independent parties over which Hexagon Geospatial has no control. Hexagon Geospatial shall not have any liability resulting from your use of the third party website. Any link you make to or from the third party website will be at your own risk and any information you share with the third party website will be subject to the terms of the third party website, including those relating to confidentiality, data privacy, and security.

Trademarks

The trademarks, logos and service marks ("Marks") displayed in this Document are the property of Hexagon Geospatial, Intergraph or other third parties. Users are not permitted to use Marks without the prior written consent of Hexagon Geospatial, Intergraph or the third party that owns the Mark. "Intergraph" is a registered trademark of Intergraph Corporation in the United States and in other countries. Other brands and product names are trademarks of their respective owners.

Find additional trademark information https://www.hexagongeospatial.com/legal/trademarks.

Procedure For Making Claims Of Copyright Infringement

Notifications of claimed copyright infringement should be sent to Hexagon Geospatial by mail at the following address: Intergraph Corporation, Attn: Intergraph Legal Department, P.O. Box 240000, Huntsville, Alabama 35824.

US Government Restricted Right

Materials are provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure of Materials by the U.S. Government is subject to restrictions as set forth in FAR 52.227-14 and DFARS 252.227-7013 et seq. or successor provisions thereto. Use of Materials by the Government constitutes acknowledgment of Hexagon Geospatial or Intergraph's proprietary rights therein.

International Use

You may not use or export Materials in violation of U.S. export laws and regulations. Hexagon Geospatial makes no representation that Materials are appropriate or available for use in every country, and access to them from territories where their content is illegal is prohibited.

Hexagon Geospatial provides access to Hexagon Geospatial international data and, therefore, may contain references or cross references to Hexagon Geospatial products, programs and services that are not announced in your country. These references do not imply that Hexagon Geospatial intends to announce such products, programs or services in your country.

The Materials are subject to U.S. export control and economic sanctions laws and regulations and you agree to comply strictly with all such laws and regulations. In addition, you represent and warrant that you are not a national of, or otherwise located within, a country subject to U.S. economic sanctions (including without limitation Iran, Syria, Sudan, Cuba, and North Korea) and that you are not otherwise prohibited from receiving or accessing the Materials under U.S. export control and economic sanctions laws and regulations. Hexagon Geospatial makes no representation that the Materials are appropriate or available for use in every country,



and access to them from territories where their content is illegal is prohibited. All rights to use the Materials are granted on condition that such rights are forfeited if you fail to comply with the terms of this agreement.

Revisions

Hexagon Geospatial reserves the right to revise these Terms at any time. You are responsible for regularly reviewing these Terms. Your continued use of this Document after the effective date of such changes constitutes your acceptance of and agreement to such changes.

Applicable Law

This Document is created and controlled by Hexagon Geospatial in the State of Alabama. As such, the laws of the State of Alabama will govern these Terms, without giving effect to any principles of conflicts of law. You hereby irrevocably and unconditionally consent to submit to the exclusive jurisdiction of the United States District Court for the Northern District of Alabama, Northeastern Division, or the Circuit Court for Madison County, Alabama for any litigation arising out of or relating to use of this Document (and agree not to commence any litigation relating thereto except in such courts), waive any objection to the laying of venue of any such litigation in such Courts and agree not to plead or claim in any such Courts that such litigation brought therein has been brought in an inconvenient forum. Some jurisdictions do not allow the exclusions or limitations set forth in these Terms. Such exclusions or limitations shall apply in all jurisdictions to the maximum extent allowed by applicable law.

Questions

Contact us with any questions regarding these Terms.